

Duo-X™

COMBINING INTEGRATED AGILITY AND INTELLIGENCE



WITH
iAquaLink™
CONTROL



**INTEGRATED
AGILITY**



**SUCTION
EFFICIENCY**



**DUAL-STAGE
FILTRATION**



**EASE
OF USE**




**INTUITIVE
APP NAVIGATION**



WHY CHOOSE EXCEPTIONAL AGILITY?




CYCLONIC PERFORMANCE



Its patented cyclonic suction is powerful and long-lasting. Debris is kept in suspension to avoid filter clogging and to maintain the same level of cleaning performance throughout the cycle.



With its new Helix propeller brushes, Duo-X™ sucks up even the smallest debris more effectively, without pushing it out. The DX4050 iQ and DX4000 feature front and rear brushes, while the DX3000 features front brush only.



Its two-layer dual-stage filtration system (150µ/60µ) collects both large and small debris. With Duo-X™, your pool will be perfectly clean all year round. The filter canisters are easy to remove and debris can be cleaned easily without touching.



INTEGRATED AGILITY



With its embedded smart sensors and its unique design, Duo-X™ offers excellent coverage of the pool and limitless agility. It is, therefore, ideal for all pool shapes and linings.




iAQUALINK



With the iAqualink™ application, check on cleaning progression at any time. The device is also upgradeable thanks to the automatic updating of its functionalities. Some models offer an adjustable cycle time and a remote control feature. Available only on DX4050 iQ model.




EASE OF USE



Its transparent window and backlit filter, which can be accessed from above*, offer a real ease of use on a daily basis. The filter canisters are easy to remove and debris can be cleaned easily without touching.



Automatic swivel system prevents cable tangling during cleaner operation in the pool. The cleaner efficiency is optimized and the cable storage is easier. Enjoy hassle free storage with the included convenient caddy (for DX4000 and DX4050 iQ).



With its patented Lift System technology, Duo-X™ positions itself at the water line of the selected wall and expels water to make the device lighter for removing it from the water.

*not available on DX3000



DX4050 iQ

DX4000

DX3000

Types of inground pools	Surfaces	Concrete, pebblecrete, quartzon, fibreglass, vinyl and tiles		
	Shapes	Rectangular, oval, free shape Flat, gentle slope, composite slope, diamond shape		
	Size	Up to 12m x 6m (18m cable)	Up to 10m x 5m (15m cable)	Up to 10m x 5m (15m cable)
Performance	Cleaning areas	Floor / walls / waterline	Floor / walls / waterline	Floor / walls / waterline
	Filtering level	Dual filter canister 150µ/60µ	Dual filter canister 150µ/60µ	Dual filter canister 150µ/60µ
	Filter capacity	4L	4L	4L
	Swivel	✓	✓	✓
	Number of cycles	2	2	2
	Cleaning cycles	Floor only Floor/Walls/Waterline	Floor only Floor/Walls/Waterline	Floor only Floor/Walls/Waterline
	Active Brushing	✓	✓	✓
	Brush Position	Front and Rear	Front and Rear	Front Only
iAqualink™ App Control	iAqualink™ app control	✓		
	Remote control via App Only	✓		
Ease of Use	Lift System	✓	✓	✓
	Transparent window	✓	✓	✓
	Filter LED	✓	✓	
	Caddy	✓	✓	
Technical Specifications	Number of motors	3	3	3
	Control box supply	200- 240 VAC / 50Hz/ 60Hz		
	Power supply / operating power	30V DC / 150W		
	Cable length	18m	15m	15m
	Inlet suction size/ Cleaned width	23cm		
	Cleaner weight / dimensions	9.5 KG / 43x 48 x 27 cm (L x W x H)		
	Packaging weight / dimensions	19 KG / 56 x 56 x 46 cm (L x W x H)		14 KG / 56 x 56 x 46 cm (L x W x H)

A Fluidra Brand



©2023 ZODIAC® is a registered trademark of Zodiac International S.A.S, used under license.
iAquaLink® is a registered trademark of Zodiac Pool Systems LLC, used under license.

www.zodiac.com.au
www.zodiac.co.nz

R131223